

CCSDS Navigation Working Group

David Berry 27-Apr-2022



Purpose

- Introduce the CCSDS Navigation Working Group and its technical program to new members
- Highlight progress since prior meetings
- Set priorities for current meetings



Agenda

- CCSDS Overview
- Navigation Working Group Overview
- Navigation Working Group Documents
- Q&A



CCSDS & the Navigation Working Group

- CCSDS is an organization which acts as the "principal technical engine of ISO TC20/SC13"
- Develops international standards related to space data
- Organization chart at https://cwe.ccsds.org/default.aspx
- CCSDS consists of 6 general "Areas"
- Areas are partitioned into 23 smaller groups called "Working Groups" (WG), "Special Interest Groups" (SIG), or "Birds of a Feather Groups" (BOF). [Note: Currently no SIGs or BOFs]
- Each WG, SIG or BOF is associated with an Area
- Navigation WG is part of CCSDS Mission Operations and Information Management Services Area (MOIMS)
- Charter is to produce CCSDS Recommendations related to the formatting and exchange of flight dynamics data



Standards Development Process (In Brief)

- A "Concept Paper" suggests a need for standardization
- A Working Group is chartered to develop Recommendation
- Working Group develops material (an iterative process)
- Recommendation documents go through stages: Proposed (White), Draft (Red), Final (Blue), Revised Draft (Pink)
- White Books are internal to the Working Group
- When a White Book matures, promotion to Red Book occurs
- Formal Agency Review process commences (2-3 months)
- When Agency Review is passed, prototyping is complete and test reports filed, promotion to Blue Book occurs
- ISO standard process entered at advanced stage(DIS/FDIS)
- Blue Books have 5 year review (reconfirm/retire/revise)
- Blue Books being revised enter a draft stage colored Pink
- Retired books are Silver (historic, no longer normative)
- Green Books are non-normative technical reports
- Other colors in CCSDS spectrum (Yellow, Orange, Magenta)



CCSDS Navigation WG Participating Membership

- The CCSDS Navigation Working Group has had regular participation from the following space agency/organizations:
 - ASI
 - CNES
 - DLR
 - ESA
 - JAXA
 - NASA (JPL, GSFC, JSC)
 - UKSA
 - ISO TC20/SC14 (CCSDS "sister organization")
 - Agencies that previously named representatives to the Nav WG, but have not recently participated: RFSA, ETRI
- Other agencies that participate in CCSDS, but have not been involved in Navigation WG: CSA, INPE, CNSA
- Commercial and/or military support is sponsored by an agency

CCSDS Nav WG Documents ("Color Coded")

Current Work Items

- Attitude Data Messages (ADM) (V.2 near Agency Rvw)
- Conjunction Data Message (CDM) (V.2 in progress)
- Orbit Data Messages (ODM) V.2 (V.3 in prototyping)
- Tracking Data Message (TDM) V.2 (V.3 in progress)
- Navigation Data Messages/XML Spec (V.3 in progress)

Completed Work Items

- Navigation Data Messages Overview V.2 (V.3 starting soon)
- Navigation Data Definitions & Conventions V.4
- Pointing Request Message (PRM) (published Feb 2018)
- Re-Entry Data Message (RDM) (published Oct 2019)

"On Hold" Work Items

- Navigation Events Message (NEM, White Book in progress)
- Several "Draft" Projects and future ideas (FDM, LDM)



Lead & Co-Editors for Works In Progress

- Attitude Data Messages (ADM): Alain, Julie
- Conjunction Data Message (CDM): Brian, Dan
- Navigation Data Messages XML Spec (NDM/XML): David, Jose Miguel
- Navigation Events Message (NEM): Alain, Frank
- Orbit Data Messages (ODM): Dan
- Tracking Data Message (TDM): Cheryl, Juan
- Navigation Data Messages Overview: Patrick



Progress Since Fall 2021 Meetings

- ADM: Completed drafting, submitted P-1.13 to MOIMS Area Director and Secretariat for document processing prior to Agency Review
- CDM: Resolution of Version P1.0.1 review comments completed, P1.0.2 distributed for internal review (in progress)
- NDMO: No significant progress
- NDM/XML: Initiated preparations for V.3, completed publication of corrigenda to RDM, TDM V.2, CDM (for compatibility with V.2), initiated discussion of ways to improve schema versioning/naming
- NEM: No significant progress
- ODM: Completed Agency Review, completed RID disposition, initiated prototype testing
- PRM: No significant progress
- TDM: No significant progress
- SANA: All registries required for ADM Agency Review established
- 5 Working Group telecons
- Action Items: 13 of 35 completed (37%), 21 outstanding (60%), 1 cancelled (3%)



Spring 2022 "Virtual" Meeting Objectives

- Confirmed Agenda
 - ADM: Discussion of prototyping plans
 - CDM: Discussion of Pink Book 1.0.2 review comments
 - NDM/XML: Discussion of NDM/XML V.3 schema versioning issues
 - Tracking Data Message: Discussion of editorship, "lowhanging fruit", modularization approaches
 - SANA Registry: Discussion of updates from SANA Team
 - ODM: Discussion of prototyping status and testing to date
- Time Permitting
 - Fragmentation Data Message (FDM): Current status of this potential new project... is it time?
- No Discussion (Time Constraints)
 - Navigation Events Message, Navigation Data Messages Overview (?)



CCSDS Spring 2022 Current WG Participating Members

- **David Berry**
- 2. Vitali Braun
- 3. Juan Crenshaw
- 4. Frank Dreger
- 5. Cheryl Gramling
- 6. Julie Halverson
- 7. Hideaki Hinagawa
- 8. Ralph Kahle
- 9. Alain Lamy
- 10. Jose Miguel Lozano
- 11. Dan Oltrogge
- 12. Vincent Schaeffer *
- 13. Brian Swinburne
- 14. Elena Vellutini
- 15. Patrick Zimmerman



Useful Web Sites/Contacts

Web Sites

- www.ccsds.org general web site of the CCSDS
- http://cwe.ccsds.org/moims/default.aspx, then choose the "MOIMS-NAV" tab on the far left menu
 - All draft documents available, archived drafts too
 - Select 'Marketing Materials' from the menu for various papers and presentations on the use of CCSDS Nav WG standards

E-mail Address

- moims-nav@mailman.ccsds.org (general traffic)
- moims-nav-exec@mailman.ccsds.org (WG internal)
- Do NOT use the one that has "bounces" in the name



Q&A

- ???
- ???
- ???
- ???
- ???
- ???
- ???
- ???
- ???
- ???
- ???



Backup Slides



Navigation Data - Definitions & Conventions

- Contains technical material related to the Navigation Working Group Recommendations
- Non-normative document
- Has a different development process (all internal to the working group)
- Work started <u>early</u> in the history of the Navigation WG (pre-2000)
- Most recent edition (4.0) was published 11/2019
- Next Steps: None at this time



CCSDS.... Navigation Data Messages Overview

- Contains high level overview of and use cases for **Navigation Working Group Recommendations**
- Originally intended to be "Volume 2 of existing Navigation Green Book"; AD suggested just having 2 different Green Books (a simpler approach)
- Non-normative document
- Has a different development process (all internal to the WG)
- Initiated at Berlin meetings Spring 2011
- Green Book 2.0 published 04/2020
- Next Steps: Commence new V.3 project to report recent progress

CCSDS.ORG Attitude Data Messages (ADM) (ADM)

- Three standard message formats for exchanging spacecraft attitude descriptions
- Attitude Parameter Message (APM) is an attitude state at epoch, must be propagated
- Attitude Ephemeris Message (AEM) specifies a series of attitude states at multiple epochs, allows modelling of any number of torques, must be interpolated
- Work started ~2003, became Blue Book 05/2008 (ISO Standard 13541:2010), currently being revised as result of 5 Year Review; Attitude Comprehensive Message (ACM), new message analogous to ODM's "Orbit Comprehensive Message", being added; XML added
- Infusion Status: in daily use at NASA/GSFC, ESA, Orekit
- Current issue is Pink Book 1.1 (Secretariat re-numbered)
- Next Steps: Complete Agency Review, plan prototypes



Conjunction Data Message (CDM) (CDM)

- Standard message formats for transmission of conjunction assessment data that will warn spacecraft operators of pending close approaches between their spacecraft and another spacecraft or on-orbit debris
- Also provides information for satellite operators to use to make decisions regarding whether and how to maneuver in order to avoid space collisions
- Added to Charter/approved for development in Fall 2010
- First White Book January 2011, became Blue Book June 2013 (CCSDS record?), ISO/DIS 19389
- Infusion Status: USSF 18th Space Command, NASA/CARA, SDC, CNES, NASA/JPL, others?
- Current issue: Pink Book 1.0.2
- Next Steps: Complete V.2 revisions, do Agency Review



Navigation Events Message (NEM)

- Standard message formats for exchanging information regarding predicted orbital events
- Orbital events describe when and possibly how some situations occur (generally related to a satellite) and constitute a major data type used in operations centers
- Proposed at Colorado Springs Spring 2009, Concept Paper Fall 2010, added to Nav WG Charter Spring 2011
- Work item in Charter approved December 2011
- Project approved August 2017
- Deliverables: Blue Book based on the "Events Message" Concept Paper, SANA Registry of Events
- NOTE: Interest in this document by CSS/SM WG and CCSDS System Engineering Area (SEA)
- Next Steps: Complete White Book 1.0, XML infrastructure



Navigation Data Messages/XML Spec (NDM/XML) (NDM/XML)

- Directive to put Navigation WG Recommendations into XML format came from CMC ~2002
- Describes an integrated XML schema set for encoding the ADM, ODM, and TDM
- Compatible with ODM 2.0, ADM 1.0, CDM 1.0, RDM 1.0, TDM 2.0
- Work started 05/2004, became Blue Book 12/2010 (ISO Standard 17107:2011), V.2 published 05/2021, new V.3 project recently approved
- Was first "approved" registry in the SANA Registry
- Other Desirable Work: Agency infusion
- Current issue is Blue Book 2.0
- Next Steps: Address schema versioning/naming issues; Version 3 that removes instructions for ODM/XML (and ADM/XML?) since the instructions will be in the ODM (and ADM?)



Orbit Data Messages (ODM) (ODM)

- Four standard message formats for exchanging orbit descriptions
- Orbit Parameter Message (OPM) is a state vector
 - Position/velocity at epoch; must propagate
- Orbit Ephemeris Message (OEM) is an ephemeris
 - Position/velocity at multiple epochs; must interpolate
- Orbit Mean Elements Message (OMM) is an orbit state
 - Mean Keplerian elements; must propagate
- Orbit Comprehensive Message (OCM) is a comprehensive message designed to contain much more detailed info
- Work started ???, became CCSDS Blue Book V.1 09/2004 (ISO Standard # 22644 01/2006), CCSDS Blue Book V.2 11/2009 (ISO Standard #26900:2012), currently in revision
- Infusion Status: Orbit Data Messages widely used in ops
- Current issue is Pink Book 2.1 (Agency Review)
- Next Steps: Complete prototype testing, test report



Pointing Request Message (PRM)

- Standard message formats for transmission of pointing requests in formal language
- Reduces "common language" pointing request errors
- The requested pointing could be pointing of a spacecraft instrument or of an onboard-antenna, within the future attitude sequence of the specified spacecraft
- PRM identifies S/C, onboard instrument, various constraints and rates, applicable epochs, other metadata
- Proposed at Berlin Fall 2008, Concept Paper Fall 2009
- Added to Charter Fall 2009, approved for development in Spring 2010
- First White Book Spring 2011, Blue Book 02/2018
- Agency infusion: ESA, also being used by MOIMS/Mission Planning WG
- Next Steps: 5 Year Review Fall 2022



Re-Entry Data Message (RDM)

- The Re-entry Data Message (RDM) specifies a standard message format to be used in the exchange of spacecraft (re-)entry information between Space Surveillance and Tracking (SST) data providers, satellite owners/operators and other parties.
- These messages can be used to inform spacecraft owners/operators of predicted re-entries or warn civil protection agencies about potential ground impacts.
- Concept Paper 01/2016
- Approved for development/added to Charter 06/2016
- First White Book 08/2016, Blue Book November 2019
- Agency infusion: ESA, DLR
- Next Steps: Continued Agency infusion



- Standard message format for exchanging tracking data
- TDM supports widely used tracking data types:
 - Radiometrics: Doppler, range, angle, Delta-DOR, phase, optical
 - Ancillary information (e.g., meteorological, media delays, clock bias/drift)
- Work started 10/2003, became Blue Book 11/2007, Corrigenda published 09/2010, ISO 13526:2010, Blue Book 2 published 06/2020, currently being revised based on expanded requirements
- Infusion Status: in progress or complete at ESA, DLR NASA/JPL, JHU/APL, ISRO, others?
- Current issue is Blue Book V.2
- Next Steps: Continued agency infusion, initiate TDM version 3 (first Pink Book)