



CCSDS Navigation Working Group

David Berry

17-Oct-2022

Purpose

- Introduce the CCSDS Navigation Working Group and its technical program to new members
- Highlight progress since prior meetings
- Set priorities for current meetings

Agenda

- CCSDS Overview
- Navigation Working Group Overview
- Navigation Working Group Documents
- Q&A

- CCSDS is an organization which acts as the “principal technical engine of ISO TC20/SC13”
- Develops international standards related to space data
- Organization chart at <https://cwe.ccsds.org/default.aspx>
- CCSDS consists of 6 general “Areas”
- Areas are partitioned into 23 smaller groups called “Working Groups” (WG), “Special Interest Groups” (SIG), or “Birds of a Feather Groups” (BOF). [Note: Currently no SIGs or BOFs]
- Each WG, SIG or BOF is associated with an Area
- Navigation WG is part of CCSDS Mission Operations and Information Management Services Area (MOIMS)
- Charter is to produce CCSDS Recommendations related to the formatting and exchange of flight dynamics data

Standards Development Process (In Brief)

- A “Concept Paper” suggests a need for standardization
- A Working Group is chartered to develop Recommendation
- Working Group develops material (an iterative process)
- Recommendation documents go through stages:
 - Proposed=White, Draft=Red, Final=Blue, Revised Draft=Pink
- White Books are internal to the Working Group
- When a White Book matures, promotion to Red Book occurs
- Formal Agency Review process commences (2 months min)
- When Agency Review is passed, prototyping is complete, and test reports filed, promotion to Blue Book occurs
- ISO standard process entered at advanced stage(DIS/FDIS)
- Blue Books have 5 year review (reconfirm/retire/revise)
- Blue Books being revised enter a draft stage colored Pink
- Retired books are Silver (historic, no longer normative)
- Green Books are non-normative technical reports
- Other colors in CCSDS spectrum:
 - Yellow=Record, Orange=Experimental, Magenta=Best Practice

Navigation WG Participating Membership

- The CCSDS Navigation Working Group has had regular participation from the following space agency/organizations:
 - ASI
 - CNES
 - DLR
 - ESA
 - JAXA
 - NASA (JPL, GSFC, JSC)
 - UKSA
 - ISO TC20/SC14 (CCSDS “sister organization”)
 - Organizations that previously named representatives to the Nav WG, but have not recently participated: RFSA, ETRI
- Other agencies that participate in CCSDS, but have not been involved in Navigation WG: CSA, INPE, CNSA
- Commercial and/or military support is sponsored by an agency

- Current Work Items

- [Attitude Data Messages \(ADM\)](#) (V.2 near prototyping)
- [Conjunction Data Message \(CDM\)](#) (V.2 in progress)
- [Orbit Data Messages \(ODM\) V.2](#) (V.3 in prototyping)
- [Tracking Data Message \(TDM\) V.2](#) (V.3 in progress)
- [Navigation Data Messages/XML Spec](#) (V.3 in progress)
- [Navigation Data Messages Overview V.2](#) (V.3 in progress)

- Completed Work Items

- [Navigation Data - Definitions & Conventions V.4](#)
- [Pointing Request Message \(PRM\)](#) (published Feb 2018)
- [Re-Entry Data Message \(RDM\)](#) (published Oct 2019)

- “On Hold” Work Items

- Navigation Events Message (NEM, White Book in progress)
- Several “Draft” Projects and future ideas (FDM, LDM)

- Attitude Data Messages (ADM): Alain, Julie
- Conjunction Data Message (CDM): Brian, Dan
- Nav Data Msgs XML Spec (NDM/XML): David, Jose Miguel
- Navigation Events Message (NEM): Alain, Frank
- Orbit Data Messages (ODM): Dan
- Tracking Data Message (TDM): Juan, Cheryl
- Navigation Data Messages Overview: Patrick

Progress Since Spring 2022 Meetings

- ADM: Completed Agency Review, Test Plan in draft
- CDM: Completed review of Version P-1.0.2, completed resolving most review comments, P-1.0.3 distributed for internal review (in progress)
- NDMO: Completed 2 drafts, almost ready for CESG/CMC polls
- NDM/XML: Completed draft P-2.0.2 and submitted to Secretariat, posted V.3 schemas on SANA Registry, prepared web page with all prior versions, implemented method to reduce schema use confusion
- NEM: No significant progress (ADM priority)
- ODM: Continued prototype planning and development
- PRM: No significant progress
- TDM: Completed draft version P-2.0.1, initiated internal review
- SANA: Completed "external registry" NDM-XML Schema Archive
- 4 Working Group telecons
- Action Items: 21 of 46 completed (46%), 19 outstanding (41%), 6 cancelled (13%)

Fall 2022 Meeting Objectives (Formal)

- Current Items
 - ODM: Discussion of prototyping status and testing to date
 - ADM: Continued discussion of prototyping plans
 - CDM: Discussion of Pink Book 1.0.2/1.0.3 review comments
 - TDM: Discussion of P-2.0.1 draft
 - NDM/XML: Discussion of NDM/XML V.3, issues & schedule, propose V.4
 - Navigation Data Messages Overview: Ready to publish?
 - SANA Registry: Discussion of topics with SANA Team
 - PRM: 5 Year Review
 - Document Editor's Boot Camp
- Future Items
 - Discussion of updates of numerical format text
 - Fragmentation Data Message (FDM): potential new project... is it time?
 - Navigation Events Message

Fall 2022 Meeting Objectives (Informal)

- A while back we instituted an informal group norm... the Lead Editor of the most recent document buys a round at a WG event
- First instantiation: Fall 2019 in Darmstadt (RDM)
- Since then, we've been in "virtual meetings", so we've built up a backlog:
 - Cheryl: Navigation Data - Definitions & Conventions V.4, 11/2019
 - Patrick: Navigation Data Messages Overview V.2, 04/2020
 - David: TDM V.2, 06/2020
 - David: NDM/XML V.2, 05/2021
- How shall we address the backlog without overdoing it?

Fall 2022 Registrants

1. David Berry
2. Vitali Braun
3. Juan Crenshaw
4. Frank Dreger
5. Cheryl Gramling
6. Julie Halverson
7. Hideaki Hinagawa (virtual)
8. Ralph Kahle
9. Alain Lamy
10. Jose Miguel Lozano
11. Dan Oltrogge
12. Brian Swinburne
13. Patrick Zimmerman

Not registered: **Elena Vellutini (ASI)**

- Web Sites
 - www.ccsds.org – general web site of the CCSDS
 - <http://cwe.ccsds.org/moims/default.aspx> , then choose the “MOIMS-NAV” tab on the far left menu
 - All draft documents available, archived drafts too
 - Select ‘Marketing Materials’ from the menu for various papers and presentations on the use of CCSDS Nav WG standards
- E-mail Address
 - moims-nav@mailman.ccsds.org (general traffic)
 - moims-nav-exec@mailman.ccsds.org (WG internal)
 - **Do NOT use the one that has "bounces" in the name**

Q&A

- ???
- ???
- ???
- ???
- ???
- ???
- ???
- ???
- ???
- ???
- ???



Backup Slides

- Contains technical material related to the Navigation Working Group Recommendations
 - Non-normative document
 - Has a different development process (all internal WG)
 - Work started early in the history of the Navigation WG (pre-2000)
-
- Current issue: 4.0 published 11/2019
 - Next Steps: None at this time

- Contains high level overview of and use cases for Navigation Working Group Recommendations
 - Originally intended to be “Volume 2 of existing Navigation Green Book”; AD suggested just having 2 different Green Books (a simpler approach)
 - Non-normative document
 - Has a different development process (all internal WG)
 - Initiated at Berlin meetings Spring 2011
-
- Current Issue: 2.0 published 04/2020
 - Latest updates: Version 3.0 in progress and making good progress (2 drafts complete... ready to publish?)
 - Next Steps: Complete new V.3 project to report recent progress

- Three standard message formats for exchanging spacecraft attitude descriptions
- Attitude Parameter Message (APM) is an attitude state at epoch, must be propagated
- Attitude Ephemeris Message (AEM) specifies a series of attitude states at multiple epochs, allows modelling of any number of torques, must be interpolated
- Work started ~2003, became Blue Book 05/2008 (ISO Standard 13541:2010), currently revised as result of 5 Year Review; Attitude Comprehensive Message (ACM), analogous to ODM's "OCM" added; XML added
- Infusion Status: in daily use at NASA/GSFC, ESA, Orekit
- Current issue: Pink Book 1.1 (Secretariat re-numbered)
- Next Steps: Complete prototypes, test report, publish

Conjunction Data Message (CDM) (CDM)

- Standard message formats for transmission of conjunction assessment data that will warn spacecraft operators of pending close approaches between their spacecraft and another spacecraft or on-orbit debris
- Also provides information for satellite operators to use to make decisions regarding whether and how to maneuver in order to avoid space collisions
- Added to Charter/approved for development in Fall 2010
- First White Book January 2011, became Blue Book June 2013 (record?), ISO/DIS 19389, **currently in revision**
- Infusion Status: USSF 18th Space Command, NASA/CARA, SDC, CNES, NASA/JPL, others?
- Current issue: Pink Book 1.0.3
- Next Steps: Complete V.2 revisions; Agency Review

Navigation Events Message (NEM)

- Standard message formats for exchanging information regarding predicted orbital events
 - Orbital events describe when and possibly how some situations occur (generally related to a satellite) and constitute a major data type used in operations centers
 - Proposed at Colorado Springs Spring 2009, Concept Paper Fall 2010, added to Nav WG Charter Spring 2011
 - Work item in Charter approved December 2011
 - Project approved August 2017
 - Deliverables: Blue Book based on the “Events Message” Concept Paper, SANA Registry of Events
 - NOTE: Interest in this document by CSS/SM WG and CCSDS System Engineering Area (SEA)
-
- Current issue: N/A
 - Next Steps: Complete White Book 1.0 draft

Navigation Data Messages/XML Spec (NDM/XML) (NDM/XML)

- Directive to put Navigation WG Recommendations into XML format came from CMC ~2002
 - Describes an integrated XML schema set for encoding the ADM, ODM, and TDM
 - Compatible with ODM 2.0, ADM 1.0, CDM 1.0, RDM 1.0, TDM 2.0
 - Work started 05/2004, became Blue Book 12/2010 (ISO Standard 17107:2011), V.2 published 05/2021, **new V.3 project recently approved**
 - Was first “approved” registry in the SANA Registry
 - Other Desirable Work: Agency infusion
-
- Current issue: Pink Book 2.0.2 (removes instructions for ODM/XML since the instructions will be in the ODM)
 - Next Steps: Complete addressing schema versioning & naming issues; Agency Review; propose V.4 for ADM

Orbit Data Messages (ODM) (ODM)

- Four standard message formats for exchanging orbit descriptions
 - Orbit Parameter Message (OPM) is a state vector
 - Position/velocity at epoch; must propagate
 - Orbit Mean Elements Message (OMM) is an orbit state
 - Mean Keplerian elements; must propagate
 - Orbit Ephemeris Message (OEM) is an ephemeris
 - Position/velocity at multiple epochs; must interpolate
 - Orbit Comprehensive Message (OCM) is a comprehensive message designed to contain much more detailed info
 - Work started ???, became CCSDS Blue Book V.1 09/2004 (ISO Standard # 22644 01/2006), CCSDS Blue Book V.2 11/2009 (ISO Standard #26900:2012), currently in revision
 - Infusion Status: Orbit Data Messages widely used in ops
-
- Current issue: Pink Book 2.1 (Agency Review)
 - Next Steps: Complete prototypes, test report, publish

Pointing Request Message (PRM)

- Standard message formats for transmission of pointing requests in formal language
 - Reduces “common language” pointing request errors
 - The requested pointing could be pointing of a spacecraft instrument or of an onboard-antenna, within the future attitude sequence of the specified spacecraft
 - PRM identifies S/C, onboard instrument, various constraints and rates, applicable epochs, other metadata
 - Proposed at Berlin Fall 2008, Concept Paper Fall 2009
 - Added to Charter Fall 2009, approved for development in Spring 2010
 - First White Book Spring 2011, Blue Book 02/2018
 - Agency infusion: ESA, also being used by MOIMS/MP WG
-
- Current issue: Blue Book 1.0 published 02/2018
 - Next Steps: 5 Year Review Fall 2022

Re-Entry Data Message (RDM)

- The Re-entry Data Message (RDM) specifies a standard message format to be used in the exchange of spacecraft (re-)entry information between Space Surveillance and Tracking (SST) data providers, satellite owners/operators and other parties.
 - These messages can be used to inform spacecraft owners/operators of predicted re-entries or warn civil protection agencies about potential ground impacts.
 - Concept Paper 01/2016
 - Approved for development/added to Charter 06/2016
 - First White Book 08/2016, Blue Book November 2019
 - Agency infusion: ESA, DLR
-
- Current issue: Blue Book 1.0 published 11/2019
 - Next Steps: 5 Year review Spring 2024

Tracking Data Message (TDM) (TDM)

- Standard message format for exchanging tracking data
 - TDM supports widely used tracking data types:
 - Radiometrics: Doppler, range, angle, Delta-DOR, phase, optical
 - Ancillary information (e.g., meteorological, media delays, clock bias/drift)
 - Work started 10/2003, became Blue Book 11/2007, Corrigenda published 09/2010, ISO 13526:2010, Blue Book 2 published 06/2020, **currently being revised based on expanded requirements**
 - Infusion Status: in progress or complete at ESA, DLR, NASA/JPL, JHU/APL, ISRO, others?
-
- Current issue: Pink Book V.2.0.1
 - Next Steps: Internal review of P-2.0.1, continue addition of new material